

SURPLUS ALUMINUM AND COPPER WIRE ON REELS

Located near Bridgman, MI

Reel No.	Qty	Description	Material	Reel	Size	Est. Reel Capacity
A1	1	90 OKOGUARD Shielded	Aluminum	Wood	1500 MCM	81%
A2	1	Aluminum Bare strand wire	Bare Aluminum	Metal	2.5 in. Dia	29%
A3	1	Aluminum Bare strand wire	Bare Aluminum	Metal	2.5 in. Dia	24%
A4	1	Aluminum Bare strand wire	Bare Aluminum	Metal	2.5 in. Dia	52%
A5	1	Aluminum Bare strand wire	Bare Aluminum	Metal	2.5 in. Dia	29%
A6	1	Aluminum Bare strand wire	Bare Aluminum	Metal	2.5 in. Dia	63%
A7	1	Aluminum Bare strand wire	Bare Aluminum	Metal	2.5 in. Dia	41%
A8	1	Aluminum Bare strand wire	Bare Aluminum	Metal	2.5 in. Dia	44%
A9	1	Aluminum Bare strand wire	Bare Aluminum	Metal	1 in. dia	71%
A10	1	Insulated Aluminum OAD 2.25	Aluminum	Wood	1.25 in. dia.	63%
A11	1	Insulated Aluminum OAD 2.625	Aluminum	Wood	1.75 in. dia.	13%
A12	1	Insulated Aluminum OAD 3	Aluminum	Wood	1.375 in. dia.	92%
A13	1	Insulated Aluminum Multi-strand (Green)	Aluminum	Wood	12 x 10 awg ?	20%
A14	1	Insulated Aluminum Multi-strand (Green)	Aluminum ?	Wood	12 x 10 awg ?	17%
A15	1	Aluminum Bare strand wire	Aluminum?	Metal	1.25 in. dia. ?	33%
A16	1	Aluminum Bare strand wire	Bare Aluminum	Metal	2.5 in. dia	57%
A17	1	Aluminum Bare strand wire	Bare Aluminum	Wood	1.125 in. dia	27%

Reel No.	Qty	Description	Material	Reel	Size	Est. Reel Capacity
C1	1	Multi-pair 128	Copper	Wood	16 gauge	50%
C2	1	Small reel Multi-strand	Copper	Wood	16 gauge?	23%
C3	1	Insulated CU 2000MCM (Blue)	Copper	Metal	2000MCM	33%
C4	1	Small reel 6awg CU 3 Insulated wires	Copper	Wood	3 x 6AWG	33%
C5	1	12 wire CU	Copper	Wood	12 x 12 awg ?	9%
C6	1	Fuel Handling P/A Cable (white)	Copper?	Wood	4 X 12 awg ?	50%
C7	1	3 wire	Copper?	Wood	3 x 6AWG ?	50 ft

NOTES:

1. ? Indicates that the quantity, size, or material is approximate or best guess.
2. % Capacity of reel is a best guess estimate.
3. Size is the measured or best guess diameter or gauge of the actual wire insulation not included
4. OAD is the overall diameter in inches of the wire including insulation.
5. The photos on the following pages are matched to the Reel No.



A6


A2

A5

A4

C1

C2



A12

A11

C2

A3

A2

A5

A4



A6

A4

A8

A7

A1


A10

C1

A16

A17





C7

C6

C3

A13

C5

C4

A14

A9

A3

A2

A4

A4

A11



A15

A12

C3



<u>Reel</u> <u>No.</u>	<u>Qty</u>	<u>Description</u>	<u>Material</u>	<u>Reel</u>	<u>Size</u>
A1	1	90 OKOGUARD Shielded	Aluminum	Wood	1500 MCM

THE OKONITE CO. PLT. #7 (UL)MV 90 OKOGUARD - SHIELDED - OKOSE

THE OKONITE CO. PLT. #7 (UL)MV 90 OKOGU

1982

THE OKONITE CO. PLT. #7 (U

THE OKONITE CO. PLT. #7 (UL)MV 90 OKOGUARD - SHIELD

S 1500 MCM AL 1982

THE OKONITE CO. PL

100% INSUL. LEVEL 345 MILS 1500 MCM AL 1982

SHIELDED - OKOSEAL EPR 35KV 100% INSUL. LEVEL

150KV 100% INSUL. LEVEL 3

THE OKONITE CO. PLT. #7 (UL)MV 90 OKOGUARD - SHIELDED - OKOS

1500 MCM AL 1982

THE OKONITE CO. PLT. #7 (UL

100% INSUL. LEVEL 345 MILS 1500 MCM AL 1982

1000

OKOGUARD - SHIELDED - OKOSEAL EPR 35KV 100% INSUL. LEVEL 345 MILS 1500 MCM AL 1982

THE OKONITE CO. PLT. #7 (UL)MV 90 OKOGUARD - SHIELDED - OKOSEAL EPR 35KV 100% INSUL. LEVEL 345 MILS 1500 MCM AL 1982

1500 MCM AL 1982

THE OKONITE CO. PLT. #7 (UL)MV 90 OKOGUARD - SHIELDED - OKOSEAL EPR 35KV 100% INSUL. LEVEL 345 MILS 1500 MCM AL 1982

100% INSUL. LEVEL 345 MILS 1500 MCM AL 1982

THE OKONITE CO. PLT. #7 (UL)MV 90 OKOGUARD - SHIELDED - OKOSEAL EPR 35KV 100% INSUL. LEVEL 345 MILS 1500 MCM AL 1982

OKOGUARD - SHIELDED - OKOSEAL EPR 35KV 100% INSUL. LEVEL 345 MILS 1500 MCM AL 1982

Reel No.	Qty	Description	Material	Reel	Size
A2	1	Aluminum Bare strand wire	Bare Aluminum	Metal	2.5 in. Dia
A3	1	Aluminum Bare strand wire	Bare Aluminum	Metal	2.5 in. Dia
A4	1	Aluminum Bare strand wire	Bare Aluminum	Metal	2.5 in. Dia
A5	1	Aluminum Bare strand wire	Bare Aluminum	Metal	2.5 in. Dia
A6	1	Aluminum Bare strand wire	Bare Aluminum	Metal	2.5 in. Dia
A7	1	Aluminum Bare strand wire	Bare Aluminum	Metal	2.5 in. Dia
A8	1	Aluminum Bare strand wire	Bare Aluminum	Metal	2.5 in. Dia



A6

A2

A5

A4

C1

C2



A6

A4

A8

A7

A1

A10

C1

A9

A3

A2

A4

A4

A11















<u>Reel</u> <u>No.</u>	<u>Qty</u>	<u>Description</u>	<u>Material</u>	<u>Reel</u>	<u>Size</u>
A9	1	Aluminum Bare strand wire	Bare Aluminum	Metal	1 in. dia



<u>Reel</u> <u>No.</u>	<u>Qty</u>	<u>Description</u>	<u>Material</u>	<u>Reel</u>	<u>Size</u>
A10	1	Insulated Aluminum OAD 2.25	Aluminum	Wood	1.25 in. dia.







<u>Reel</u> <u>No.</u>	<u>Qty</u>	<u>Description</u>	<u>Material</u>	<u>Reel</u>	<u>Size</u>
A11	1	Insulated Aluminum OAD 2.625	Aluminum	Wood	1.75 in. dia.







<u>Reel</u> <u>No.</u>	<u>Qty</u>	<u>Description</u>	<u>Material</u>	<u>Reel</u>	<u>Size</u>
A12	1	Insulated Aluminum OAD 3	Aluminum	Wood	1.375 in. dia.









<u>Reel</u> <u>No.</u>	<u>Qty</u>	<u>Description</u>	<u>Material</u>	<u>Reel</u>	<u>Size</u>
A13	1	Insulated Aluminum Multi-strand (Green)	Aluminum	Wood	12 x 10 awg ?





<u>Reel</u> <u>No.</u>	<u>Qty</u>	<u>Description</u>	<u>Material</u>	<u>Reel</u>	<u>Size</u>
A14	1	Insulated Aluminum Multi-strand (Green)	Aluminum?	Wood	12 x 10 awg ?



<u>Reel</u> <u>No.</u>	<u>Qty</u>	<u>Description</u>	<u>Material</u>	<u>Reel</u>	<u>Size</u>
A15	1	Aluminum Bare strand wire	Aluminum?	Metal	1.25 in. dia. ?



<u>Reel</u> <u>No.</u>	<u>Qty</u>	<u>Description</u>	<u>Material</u>	<u>Reel</u>	<u>Size</u>
A16	1	Aluminum Bare strand wire	Bare Aluminum	Metal	2.5 in. dia









<u>Reel</u> <u>No.</u>	<u>Qty</u>	<u>Description</u>	<u>Material</u>	<u>Reel</u>	<u>Size</u>
A17	1	Aluminum Bare strand wire	Bare Aluminum	Wood	1.125 in. dia





<u>Reel</u> <u>No.</u>	<u>Qty</u>	<u>Description</u>	<u>Material</u>	<u>Reel</u>	<u>Size</u>
C1	1	Multi-pair 128	Copper	Wood	16 gauge









<u>Reel</u> <u>No.</u>	<u>Qty</u>	<u>Description</u>	<u>Material</u>	<u>Reel</u>	<u>Size</u>
C2	1	Small reel Multi-strand	Copper	Wood	16 gauge?








<u>Reel</u> <u>No.</u>	<u>Qty</u>	<u>Description</u>	<u>Material</u>	<u>Reel</u>	<u>Size</u>
C3	1	Insulated CU 2000MCM (Blue)	Copper	Metal	2000MCM



LE A  XLP 145 MILS 2000 M

145 MILS 2000 MCM CU. 5 KV

GENERAL CABLE A XLP 145

5 KV

GENERAL CABLE A XLP

ALP 145 MILS 2000 MCM CU. 5 KV

AL CABLE A 9 ALP 145 MILS 2000 MCM CU. 5 KV

<u>Reel</u> <u>No.</u>	<u>Qty</u>	<u>Description</u>	<u>Material</u>	<u>Reel</u>	<u>Size</u>
C4	1	Small reel 6awg CU 3 Insulated wires	Copper	Wood	3 x 6AWG



ALPE/CSPE (UL) TYPE RHH OR USE W-1 SUN RES OIL RES

USE W-1 SUN RES OIL RES II

2006

60-916

3-THREE

CUPPER ROCKBESTOS-SURPRENANT (6) 600V ALPE/CSPE (UL) TYPE RHH OR RHH-2 OR USE W-1 SUN RES

1-ONE TRIPLEX 4 DWS COPPER ROCKBESTOS

3-THREE TRIPLEX 6 AWG COPPER

6 AWG COPPER

2006 6C-916 3-THREE

SUN RES OIL RES II

2006

6C-916

3-THREE

TRIPLEX 6 AWG

ROCKBESTOS-SURPRENANT(R) 600V XLPE/CSPE (UL)TYPE RHH OR RHM-2 OR USE WJ-1 SUN RES OIL RES II

1-ONE TRIPLEX 6 AWG COPPER

2006 6C-916 3-THREE

SUN RES OIL RES II

2006

6C-916

3-THREE

3-THREE TRIPLEX 6 AWG COPPER ROCKBESTOS-SURPRENANT(R)

SURPRENANT(R) 600V XLPE/CSPE



<u>Reel</u> <u>No.</u>	<u>Qty</u>	<u>Description</u>	<u>Material</u>	<u>Reel</u>	<u>Size</u>
C5	1	12 wire CU	Copper	Wood	12 x 12 awg ?







<u>Reel</u> <u>No.</u>	<u>Qty</u>	<u>Description</u>	<u>Material</u>	<u>Reel</u>	<u>Size</u>
C6	1	Fuel Handling P/A Cable (white)	Copper?	Wood	4 X 12 awg ?



FUEL HANDLING P/A CABLE

FUEL HANDLING P/A CABLE

<u>Reel</u> <u>No.</u>	<u>Qty</u>	<u>Description</u>	<u>Material</u>	<u>Reel</u>	<u>Size</u>
C7	1	3 wire	Copper?	Wood	3 x 6AWG?

