



STOP WASTING ENERGY TOUR

**OHIO**  
A part of American Electric Power

# SMART Lighting Program

An ENERGY STAR® certified CFL uses about 75% less energy than a standard incandescent bulb and lasts at least 10 times as long.

GET REWARDS AND  
STOP WASTING ENERGY  
SEP10.com/Rebate

742 310



HOME ENERGY SAVINGS

IF WASTED ENERGY WAS EASY TO SEE  
YOU WOULDN'T WASTE IT.



[AEPOhio.com/Rebates](http://AEPOhio.com/Rebates)

DON'T WASTE ENERGY. DON'T WASTE IT.



**AEP OHIO**  
A Central American Electric Power



ENERGY SAVINGS TOUR

# SMART Lighting Program



An ENERGY STAR® certified CFL  
uses about 75% less energy than a  
standard incandescent bulb and  
lasts at least 10 times as long.

GET REBATES AND  
STOP WASTING ENERGY

[AEPOhio.com/Rebate](http://AEPOhio.com/Rebate)

AMERICAN ELECTRIC POWER

THE ENERGY SAVINGS TOUR



OHIO

# SMART Lighting Program

An ENERGY STAR certified LED  
uses about 75% less energy than  
standard incandescent bulbs and  
lasts at least 25 times as long.

**AEP OHIO**

ENERGY IS  
PRECIOUS.  
LET'S NOT  
WASTE IT.



**AEP OHIO**

**ENERGY IS  
PRECIOUS.  
LET'S NOT  
WASTE IT.**

EP OHIO

ENERGY IS  
CONSCIOUS.  
IT'S NOT  
WASTE IT

Appliance  
Recycling  
Program





LEARN MORE AT  
[energystar.gov](http://energystar.gov)





JACKS DOWN



If "P" is not displayed,  
TARE must be set.

P  
300.0000

MODE



JACKS DOWN



WAVE BLADE

















Cold refrigerator or freezer through no Appliance Energy Program  
Appliance Energy Program  
Money and Energy  
Protect the Environment

WASTED ENERGY WAS EASY TO SEE  
YOU WOULDN'T WASTE IT.

ENERGY STAR  
DO NOT WASTE IT  
ENERGY STAR  
ENERGY STAR  
ENERGY STAR







Get money back when  
certain ENERGY

SEE

ON/O

Energy Star  
certification  
helps you find  
the most energy  
efficient products

WHY CHOOSE AN  
ENERGY STAR®

LESS HEAT  
• Produces more  
air that's cooler  
• Can cut energy  
with less cost

Energy Star product information cards on a yellow wall.

ENERGY STAR certification helps you find the most energy efficient products	ENERGY STAR certification helps you find the most energy efficient products	ENERGY STAR certification helps you find the most energy efficient products	ENERGY STAR certification helps you find the most energy efficient products
ENERGY STAR certification helps you find the most energy efficient products	ENERGY STAR certification helps you find the most energy efficient products	ENERGY STAR certification helps you find the most energy efficient products	ENERGY STAR certification helps you find the most energy efficient products
ENERGY STAR certification helps you find the most energy efficient products	ENERGY STAR certification helps you find the most energy efficient products	ENERGY STAR certification helps you find the most energy efficient products	ENERGY STAR certification helps you find the most energy efficient products

3



ENTEN

turn in






gy that a

ebates



EXIT

0 for your old,  
r or freezer



REFRIGERATOR



CLOTHES WASHER



KEEP ONK

ENERGY IS  
PRECIOUS.  
IT'S NOT  
WASTE IT.

EXIT

34

SAFARI



Onan

Commercial QD



Model  
Serial

Model  
Serial



IMPORTANT EMISSIONS CONTROL INFORMATION  
CUMMINS POWER GENERATION  
1400 73rd Ave. NE  
Minneapolis, MN 55432

Model No: **12HDKCD - 2209E**

Spec: **E** Made in U.S.A.

S/N: **L110279281**

AC Volts: 120/240V

KVA: 12

PH: 1

Amps: 50

Pf: 1

KW: 12

Fuel: Diesel

Hz: 60HZ

RPM: 1800

Bat: 12V

Options: 12HDKCD F166 - 1 HDKCD

Wire Diagram:

R104 - 2 SPEC - E

INSULATION: NEMA CLASS H AMBIENT 40C

REFER TO OPERATOR'S MANUAL FOR MAINTENANCE  
SPECIFICATIONS AND ADJUSTMENTS



For Electrical Equipment Only  
Neutral Bonded To Frame  
Four Maximum Electrical Equipment  
Neutral Mils A / 2 1/2 Amps In Circuit  
200/200

ON

OFF

50 Amp 2 Pole  
AC Breaker

Start/



Indicator Light Flashes

Preheat	Rapid
High Temp	1
Low Oil Pressure	2
Service Required	3


## SERVICE INFO

Refer to operator's manual  
specifications and

Air Cleaner  
Oil Filter  
Fuel Filter  
Oil Capacity 6.0  
API Designation - CE

Temp

TO 120°F










# INCOMPLETE VEHICLE IDENTIFICATION DATA



A Subsidiary of  
DAIMLER TRUCKS NORTH AMERICA LLC.

INCOMPLETE VEHICLE / VÉHICULES INCOMPLETS

MANUFACTURED BY:

FREIGHTLINER CUSTOM CHASSIS CORPORATION

GAFFNEY, SOUTH CAROLINA 29341

DATE OF MANUFACTURE: JUNE 2011

VIN: 4UZACLDU4CCBN6053



GVWR/PNBV: 11793 (26000)

GAWR/PNBE:

FRONT = 4536 (10000)

WITH 255/70R22.5(H) TIRES 22.5X8.25

RIMS

PRESSURE = 827 (120)

(COLD)

FIRST INTMD =

WITH TIRES

RIMS

PRESSURE =

(COLD)

REAR = 7938 (17500)

WITH 255/70R22.5(H) TIRES 22.5X8.25

RIMS

PRESSURE = 827 (120)

(COLD)

VEHICLE TYPE: INCOMPLETE

MODEL: MC CHASSIS

NOTE: ALL WEIGHT LISTED IN kg (lb)

PRESSURE LISTED IN kPa (psi)

OVERSPEEDING OR OVERLOADING WILL VOID WARRANTY.  
THE ABOVE DATA REPRESENTS ORIGINAL EQUIPMENT.



GVWR/PNBV: 11793 (26000)

GAWR/PNBE:

FRONT = 4536 (10000)

WITH 255/70R22.5(H) TIRES 22.5X8.25

PRESSURE = 827 (120)

RIMS  
(COLD)

FIRST INTMD =

WITH TIRES

PRESSURE =

RIMS  
(COLD)

REAR = 7938 (17500)

WITH 255/70R22.5(H) TIRES 22.5X8.25

PRESSURE = 827 (120)

RIMS  
(COLD)

VEHICLE TYPE: INCOMPLETE

MODEL: MC CHASSIS


NOTE: ALL WEIGHT LISTED IN kg (lb)

PRESSURE LISTED IN kPa (psi)

---

OVERSPEEDING OR OVERLOADING WILL VOID WARRANTY.  
THE ABOVE DATA REPRESENTS ORIGINAL EQUIPMENT.

# INCOMPLETE VEHICLE IDENTIFICATION DATA



A Subsidiary of  
DAIMLER TRUCKS NORTH AMERICA LLC.

INCOMPLETE VEHICLE / VÉHICULES INCOMPLETS

MANUFACTURED BY:

FREIGHTLINER CUSTOM CHASSIS CORPORATION

GAFFNEY, SOUTH CAROLINA 29341

DATE OF MANUFACTURE: JUNE 2011

VIN: 4UZACLDU4CCBN6053



GVWR/PNBV: 11793 (26000)

GAWR/PNBE:

FRONT = 4536 (10000)

WITH 255/70R22.5(H) TIRES 22.5X8.25

PRESSURE = 827 (120)

FIRST INTMD =

WITH

TIRES

RIMS  
(COLD)

RIMS  
(COLD)

MANUFACTURED BY  
WINNEBAGO IND. INC. 07/11

INCOMPLETE VEHICLE MANUFACTURED BY  
FREIGHTLINER CCC 07/11  
GVWR 26,000 LB 11,794 KG

GAWR:  
FRT 10,000 LB 4,536 KG  
RR 17,500 LB 7,938 KG

SUITABLE TIRE AND RIM CHOICE  
TIRE RIM  
25570R22.5H 22.5X8.25  
25570R22.5H 22.5X8.25

COLD INFLATION  
PRESSURE  
120 PSI 827KPA SING  
120 PSI 827KPA DUAL

THIS VEHICLE HAS BEEN COMPLETED IN ACCORDANCE WITH THE PRIOR MANUFACTURER'S  
IVD, WHERE APPLICABLE. THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR  
VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

SERIAL NO. 24J85N234653  
F402C CHAS 1S 07/25/11 24N-34653

VIN 4UZACLDU4CCBN6053  
2012 COMMERCIAL VEHICLE

TYPE MPV COLOR CV4  
WFJ38S 087237-02N

MOTOR HOME OCCUPANT AND CARGO CARRYING CAPACITY

VIN: 4UZACLDU4CCBN6053

THE COMBINED WEIGHT OF OCCUPANTS AND CARGO  
SHOULD NEVER EXCEED: 4589 kg or 967 lbs

Safety belt equipped seating capacity: 2

CAUTION:

A full load of water equals 0 kg or 0 lbs of cargo @ 1 kg/L (8.3 lbs/gal)  
and the tongue weight of a towed trailer counts as cargo.





