



1170 • 100 810mm • 3/8"

SER. 6836

120V AC(CA) 4.5A

0-1200/0-2500 RPM (TR MIN)



LISTED 406A

### WARNING ATTENTION ATENCION

• TO REDUCE THE RISK OF INJURY, READ INSTRUCTION MANUAL. • DO NOT EXPOSE TO RAIN OR USE IN DAMP LOCATIONS. • WHEN SERVICING USE ONLY IDENTICAL REPLACEMENT PARTS.

• POUR RÉDUIRE LE RISQUE DE BLESSURES, LIRE LE MANUEL D'INSTRUCTIONS.  
• NE PAS EXPOSER À LA PLUIE ET NE PAS UTILISER DANS LES EMPLACEMENTS HUMIDES. • POUR L'ENTRETIEN, UTILISER QUE DES PIÈCES DE RECHANGE IDENTIQUES À CELLES D'ORIGINE.

• PARA REDUCIR EL RIESGO DE LESIONES, LEA EL MANUAL DE INSTRUCCIONES.  
• NO EXPONER A LA LUBIA O HUMEDAD EN LOS LUGARES. • PARA EL MANTENIMIENTO SOLO EMPLEAR PIEZAS DE REPUESTO ORIGINAL.

U.S. PAT. NO 3,760,339 OTHER PAT. PEND

BLACK & DECKER (US) INC., HAMPSTEAD, MD. 21074 USA



**44N** 6" (150mm) ANGLE GRINDER

120 V AC  
60 Hz

SER. 5/8" - 11  
13 A

074860

no 3000/min (RPM)

**NOMANCE**



USA

**WARNING**

TO REDUCE THE RISK OF INJURY, USER MUST READ AND UNDERSTAND INSTRUCTION MANUAL. ALWAYS USE PROPER GRINDING AND WEAR EYE PROTECTION. USE ONLY ACCESSORIES RATED FOR THIS TOOL. ALWAYS USE PROPER SAFETY PROTECTION. MADE IN CHINA

QUARTZ FIBER  
AT LEAST 10'

DEWALT INDUSTRIAL TOOL CO.  
FOR SERVICE INFORMATION, CALL

JANOME, MD 21286 USA  
DEWALT  
[www.DeWALT.com](http://www.DeWALT.com)





**D2840ZV** 4 1/2" (115mm) ANGLE GRINDER

TYPE 2

SER.

191540

120 V AC/DC  $\sim$  5/8" - 11

50/60 Hz 10 A

n<sub>0</sub> 11000/min (RPM)

**NOMANCE**



**WARNING**

WARNING: TO REDUCE THE RISK OF INJURY, READ INSTRUCTION MANUAL. ALWAYS WEAR PROPER PROTECTION. USE ONLY ACCESSORIES RATED AT LEAST EQUAL TO THE SPEED MARKED ON THE TOOL. ALWAYS USE PROPER GUARDS WHEN OPERATING. ALWAYS USE PROPER RESPIRATORY PROTECTION.

DEWALT INDUSTRIAL TOOL CO., BALTIMORE, MD 21286  
FOR SERVICE INFORMATION, CALL 1-800-4-DEWALT

2018 15-47









**Metabo**

Metabo Power Tools  
Metabo Power Tools  
Metabo Power Tools

06210420 11100 191

WP 7-35E Quick

120 V~  
60 Hz


7.0 A  
750 W

0.0 (P2M)






NCS



 **metabo**

D-72622 Nürtingen, Made in Germany  
Hecht in Alemania, Fabriqué en Allemagne

120 V~ 12 A  
60 Hz 1400 W

   2002

06251420 2090027391

W 14-150 Ergo

n<sub>0</sub> 10 000 /min (rpm)  
Max. wheel dia. 6"




5/8"



208746

US



 **metabo**

D-72622 Nürtingen, Made in Germany  
hecho en Alemania, Fabriqué en Allemagne

06 10420 1110018991

**V-S-115 Quick**

120 V~

7.0 A

60 Hz

750 W

n<sub>0</sub> 10000/min (rpm)

Ⓧ max. 4 1/2"



**NOM**



2001




5/8"



C

US



 **metabo**

D-72622 Nürtingen, Made in Germany  
Hecho en Alemania; Fabriqué en Allemagne

01451420 4040061734

**WE 14-150 Quick**

120 V~      12,0 A  
60 Hz        1400 W

$n_0$  9000/min (rpm)

  $d$  max. 6"

 **UL**  
C US  
LISTED TOOL  
233C



**NOM**



2004



5/8"

SP11-15 25




**metabo**<sup>®</sup>

72722 Nürtingen, Made in Germany  
Fabriqué en Allemagne  
Fabbricato in Germania

00290421 3120048500

WEP 14-150 QuickProtect

120 V 12.2 A  
50/60 Hz 1400 W

n 800 (rpm)   
Dmax 50 mm 5/8"



217282  
us



NOM-



2013



**metabo**<sup>®</sup>

D-73622 Nürtingen, Made in Germany  
Hecht in Alemania  
Fabrique

00290420 1050058545

WEP 14-150 QuickProtect

12

n 9000/min (rpm)

50

W

Dmax 150

21726



US



**NOM**





 **metabo**

Made in Germany. Hecho en Alemania.  
Fabrique en Allemagne.

120 V-  
60 Hz

7.0 A  
750 W

05 190 20 00002 5233

WRS 112

no. 112 (imp. iron)  
Max. cable dia. 4 1/2"



**NOM** 




518



metabo

Barcode and text on the cutting disc

 **metabo**

D-72622 Nürtingen, Made in Germany  
Hecho en Alemania, Fabrique en Allemagne

120 V- 7,0 A  
60 Hz 750 W



**NOM**




2002

06208420 20400 39777

**WPS 7-115 Quick**

$n_0$  10000/min (rpm)

  $d$   $max$  1/2"



5/8"





CAT. NO. 6140  
SER. 762-242171

VOLTS 120 <sup>AC</sup>/<sub>DC</sub>

AMPS 5.5

R.P.M. 10,000  
(NOMINAL)



LISTED "BO"

**HEAVY DUTY 4 1/2"**  
**SANDER-GRINDER**

*Milwaukee*

MILWAUKEE ELECTRIC TOOL CORP.  
BROOKFIELD, WISCONSIN U.S.A.

**WARNING!**

- TO REDUCE THE RISK OF INJURY: ALWAYS: • USE EYE SHIELDS.
- READ OPERATOR'S MANUAL BEFORE USING.
- WHEELS RATED AT LEAST 12,000 R.P.M.
- ONLY HIGH STRENGTH REINFORCED WHEELS RATED AS A GRINDER.
- USE PROPER GUARD WHEN USED AS A GRINDER.

T