























**988B**







(US) 34790  
(EU) 8376

WYNN'S  
OIL CHANGE KIT  
NEW & IMPROVED

WYNN'S





**WARNING**  
PLEASE DO NOT  
OPERATE  
MACHINE  
UNLESS YOU  
ARE  
PROPERLY  
INSTRUCTED  
AND  
WEAR  
YOUR  
SEATBELT.  
OPERATING  
MACHINE  
WITHOUT  
WEARING  
YOUR  
SEATBELT  
CAN  
RESULT  
IN  
DEATH.  
FOR  
MORE  
INFORMATION  
SEE  
OPERATOR'S  
MANUAL.

LOW FUEL HI  
PRESTART  
IMPLEMENT  
SPARE  
LOWEST LOWEST OIL FLUID LEVEL  
TOWERS TOWERS OIL TOWERS TOWERS  
TRANS  
PLUGGED  
SAFETY  
P  
PARK

PILOT

HI TEMP  
HYD OIL

ETER



ARK BRAKE  
ON





50  
COMMUNICATIONS  
NUMBERS

4869




## WARNING

DO NOT OPERATE THIS MACHINE UNLESS YOU HAVE READ AND UNDERSTAND THE INSTRUCTIONS IN THE OPERATOR'S GUIDE. IMPROPER MACHINE OPERATION IS DANGEROUS AND COULD RESULT IN INJURY OR DEATH.

THE OPERATOR'S GUIDE IS IN HOLDER LOCATED IN OPERATOR'S COMPARTMENT OR ON SEAT BACK. CONTACT ANY CATERPILLAR DEALER FOR A REPLACEMENT GUIDE.

PROPER OPERATION IS YOUR RESPONSIBILITY.

SP8197 1



### TRANSMISSION

- STEERING COLUMN MUST BE IN OPERATING POSITION TO PERMIT CONTROL MOTION
- SELECT DIRECTION BY MOVING LEVER
- SELECT SPEED BY ROTATING HANDLE

• MOVE TO NEUTRAL TO RESET TRANSMISSION AFTER ENGINE START

SP3683 2



50 B W 4514



# BALDERSON

WAMEGO, KANSAS U.S.A.

REF. NO. 840:201 SERIAL 3ML27762 MACHINE  
MODEL 388-12 CAP: 11.50 WIDTH 11

093642

# BALDERSON

WAMEGO, KANSAS U.S.A.

3WL 27762

40201 SERIAL

MACHINE

CAP: 11.50 WIDTH 10

093642



BALDE

WAMEGO, KA

3WL 277

REF. NO. 840.201 SERIAL

MODEL

388-12

CAP